Montana Board of Oil and Gas Conservation Environmental Assessment

The state of the s
Well Name/Number: State 16-4H
Location: NW NW Section 16 T37N R57E
County: Sheridan , MT; Field (or Wildcat) Wildcat (Flat Lake)
Air Quality
(possible concerns)
Long drilling time: No. 20-30 days drilling time.
Unusually deep drilling (high horsepower rig): Heavy double derrick drilling rig 900-1000 HP
(Estimated) to drill a Bakken formation single lateral horizontal well, 11,880'MD/7,708'TVD.
Possible H2S gas production: Slight chance H2S gas.
In/near Class I air quality area: No Class I air quality area nearby.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2-
211.
Mitigation:
X Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: Existing field infrastructure to handle gas. No concerns.

Water Quality

(possible concerns)

Salt/oil based mud: <u>Intermediate string hole will be drilled with oil based invert mud system and openhole horizontal production hole will be drilled with fresh water polmer drilling fluids. Surface casing hole will be drilled with a freshwater, and freshwater mud system.</u>

High water table: No high water table anticipated.

TAOA North USA, Inc.

Operator:

Surface drainage leads to live water: No, closest drainage is an unnamed tributary ephemeral drainage to Larson Slough, about 3/4 of a mile to the south from this location. Larson Slough about 1 mile to the southeast from this location.

Water well contamination: None, closest water wells in the area are about 5/8 of a mile to the northwest and 3/4 of a mile to the northeast from this location all other water wells are 1 mile or further from this location. Depth of these stockwater wells are from 95' to 200'. Surface hole will be drilled with freshwater and freshwater drilling muds. The surface casing setting depth. of 1250' should be below all freshwater zones.

Porous/permeable soils: Yes, sandy clay soils.

Class I stream drainage: No, Class I stream drainages.

Mitigation:

- __ Lined reserve pit
- X Adequate surface casing
- __ Berms/dykes, re-routed drainage
- _X Closed mud system
- \underline{X} Off-site disposal of solids/liquids (in approved facility)
- X Other: Freshwater drilling fluids will be land applied with surface owner approval.

Comments: 1250' surface casing well below freshwater zones in adjacent water wells. Also, covering Fox Hills aquifer. Adequate surface casing and operational BOP equipment to prevent problems in and around freshwater slough.

Soils/Vegetation/Land Use

Steam grassings, None entisingted
Steam crossings: None anticipated.
High erosion potential: No, moderate cut, up to 13.2' and moderate fill, up to 10.1', required.
Loss of soil productivity: None, location to be restored after drilling well, if nonproductive. If productive
unused portion of drillsite will be reclaimed.
Unusually large wellsite: No, large well site 430'X460'
Damage to improvements: Slight, surface use is a cultivated field.
Conflict with existing land use/values: Slight
Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
Other
Comments: Access will use existing county road, Ueland Road and a section line road. A short road of
about 11' will be built off the lease road into this location. Surface hole (freshwater) cuttings will be
mixed buried on site Oil based invert mud cuttings will be trucked to an approved waste disposal facility.
Oil based drilling fluids will be recycled to the next location or returned to the mud company's recycling
facility. Freshwater surface fluids and horizontal freshwater polymer fluids and cuttings will be land
applied. No concerns.
Health Hazards/Noise
(possible concerns)
Proximity to public facilities/residences: Closest residences are about 5/8 of a mile to the southeast, 1.25
miles to the northwest, 1.25 miles to the northeast and 1.5 miles to the southeast from this location.
Possibility of H2S: _Yes, slight.
Possibility of H2S: _Yes, slight.
Possibility of H2S: <u>Yes, slight.</u> Size of rig/length of drilling time: <u>Heavy double drilling rig 20 to 30 days drilling time.</u> Mitigation:
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time.
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other:
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing cemented to surface with operational BOP stack should
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing cemented to surface with operational BOP stack should
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems.
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: _Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: _Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns)
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: _Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): _None identified.
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation:
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation:
Possibility of H2S: Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No Threatened or endangered Species: Only species identified as threatened or endangered are the Whooping Crane and Piping Plover. Candidate species is the Sprague's Pipit. NH Tracker site indicates 14 species
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation:X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: _Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No Threatened or endangered Species: Only species identified as threatened or endangered are the Whooping
Possibility of H2S: Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No Threatened or endangered Species; Only species identified as threatened or endangered are the Whooping Crane and Piping Plover. Candidate species is the Sprague's Pipit. NH Tracker site indicates 14 species of concern. All are migratory birds. Mitigation:
Possibility of H2S: _Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: _Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No Threatened or endangered Species: Only species identified as threatened or endangered are the Whooping Crane and Piping Plover. Candidate species is the Sprague's Pipit. NH Tracker site indicates 14 species of concern. All are migratory birds. Mitigation: _ Avoidance (topographic tolerance/exception)
Possibility of H2S: Yes, slight. Size of rig/length of drilling time: Heavy double drilling rig 20 to 30 days drilling time. Mitigation: X Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing cemented to surface with operational BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No Threatened or endangered Species; Only species identified as threatened or endangered are the Whooping Crane and Piping Plover. Candidate species is the Sprague's Pipit. NH Tracker site indicates 14 species of concern. All are migratory birds. Mitigation:

	Screening/fencing of pits, drillsite
	Other: Comments:State of Montana cultivated surface lands. Trust Lands Division will do surface
<u>EA</u>	Comments. State of Montaina eartivated surface fainds. Trust Lainds Division will do surface
	Historical/Cultural/Paleontological
	sible concerns)
Proxin	nity to known sites: None identified. Mitigation
	avoidance (topographic tolerance, location exception)
	other agency review (SHPO, DSL, federal agencies)
	Other:
П.	Other: Comments: _State of Montana cultivated surface lands. Trust Lands Division will do surface
<u>EA</u>	
,	Social/Economic
(pos	sible concerns)
	Substantial effect on tax baseCreate demand for new governmental services
	Population increase or relocation
	Comments: No concerns. Wildcat well within an existing oil field, Flat Lake Field.
	Remarks or Special Concerns for this site
Wil	dcat Bakken formation horizontal well within an existing oil field, Flat Lake Field
	deat Barken formation nortzonial went within an existing on field, I fat bare I feld
	Summary: Evaluation of Impacts and Cumulative effects
	Summary. Evaluation of impacts and Cumulative effects
No lo	ong term impacts expected. Some short term impacts will occur, but can be mitigated in a short
time.	
	ude that the approval of the subject Notice of Intent to Drill (does/does not) constitute a major
	of state government significantly affecting the quality of the human environment, and (does/ <u>does</u>
<u>not</u>) re	equire the preparation of an environmental impact statement.
Proper	ed by (BOGC):/s/Steven Sasaki
_	Chief Einld Louis atom
	March 9, 2011
Other 1	Persons Contacted:

Montana Bureau of Mines and Geology, Groundwater Information Center website.
(Name and Agency)
Sheridan County water wells
(subject discussed)
<u>March 9, 2011</u>
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Sheridan County
(subject discussed)
March 9, 2011
(date)
Montana Natural Heritage Program Website (FWP)
(Name and Agency)
Heritage State Rank= S1, S2, S3, T37N R57E
(subject discussed)
March 9, 2011
(date)
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: